

Traditional

MORTARED

MECHANICALLY FASTENED **CLAY** BRICK VENEER

BRIKclad

Change the way you think about brick

BRiKclad is a natural clay brick veneer that installs just like siding! Using our patented stainless-steel fastening system, BRiKclad bricks are simply screwed to the wall. It really is that simple!

Durable and colorfast, our clay brick system includes a built in cavity to help drain and ventilate the wall behind the clay cladding. BRiKclad is designated to not only stand the test of time, but also stand up to the rigors of harsh climates.

Whether you are a seasoned installer or a D.I.Y. enthusiast, our simple, quick and easy installation method makes BRiKclad an ideal finishing option for virtually any project.

System Components

ITEMS REQUIRED FOR INSTALLATION



Our Traditional Mortared brick option is a simple 2-step installation. All you need is a brick, fastening clip and screw with the starter angle. It is installed over the rainscreen and when all installed, simply grout the joints with mortar. With Traditional Mortared BRiKclad, you can enjoy a beautiful authentic clay brick and mortared wall in 2 simple steps.



BRICK CLADDING
MECHANICALLY FASTENED GENUINE CLAY BRICK.



QS-TM FASTENING CLIP
STAINLESS STEEL CLIP, USED TO SECURE BRICK TO WALL.




SS SCREW
STAINLESS STEEL SCREW, USED TO FASTEN CLIP TO WALL.
1 INCH - 8 GAUGE



STARTER ANGLE
STAINLESS STEEL STARTER, USED AT THE BASE OF A WALL AND ABOVE ANY WINDOW AND DOOR OPENINGS.
48" IN LENGTH




MORTAR
MORTAR APPLIED BY GROUT BAG OR GROUT GUN.



RAINSCREEN
APPROVED MESH RAINSCREEN PRODUCT IS REQUIRED BEHIND BRiKCLAD TO ALLOW FOR WALL DRAINAGE AND VENTILATION. 6 MM MINIMUM THICKNESS FOR THE US AND 10 MM MINIMUM THICKNESS FOR CANADA.

BRIKclad

WALL CONSTRUCTION




Available Colors

Add a touch of warmth and permanence to your space. Depending on your design style, our brick is equally at home in a traditional, industrial or contemporary setting. BRIKclad Traditional brick is available in both square edge and rolled edge options and features a matte textured face and full-body color that will not change over time.

SPECIFICATIONS

11.625" LENGTH X 2.75" HEIGHT X 1.6" THICK



CAMBRIA



PRAIRIE



SLATE



WALNUT

BRIKclad

Change the way you think about brick

info@brikclad.com
1-833-523-7483

Authorized Dealer